

Please read the following instructions carefully before you begin sampling. Improperly filled bottles can invalidate your results.

Standard Drinking Water Test Package

Package includes: alkalinity, arsenic, calcium, chloride, conductivity, fluoride, hardness, iron, lead, magnesium, manganese, nitrate nitrogen, nitrite nitrogen, orthophosphate, pH, corrosivity, sodium, sulfate.

Sample Drop Off

Samples can be delivered Monday-Thursday 8:00-3:30 & Friday 8:00-1:00 without an appointment. If you need to drop off samples outside of those hours, please call the lab to schedule.

Sample Collection Instructions

Do not remove the aerator from the faucet.

1. Run the cold water for two to three minutes.
2. Open the 500mL plastic bottle provided (or your own clean plastic bottle) and fill the bottle to the shoulder.
3. Open the 125mL plastic bottle provided (or your own clean plastic bottle) and fill the bottle to the shoulder.
4. Label one of the bottles with the date and time of collection.
5. Keep sample cool (cooler with ice packs) and deliver to the lab as soon as possible to maintain proper holding time requirements.

(Please note: If you are shipping samples, they must be received within 24 hours of sample collection. Please be sure to cap tightly and pack securely to ensure the samples arrive intact. Packing tape around the caps can provide extra security. Shipping in a box rather than a bag also provides extra security.)

Standard turnaround time is ten business days. A final report will be e-mailed when all tests are completed. Tests must be paid in advance.